



**WRT8000 Wood Burning Fireplace** 



#### **WRT8000 Wood Burning Fireplace**

The **WRT8000** is a premium wood burning fireplace that features an astounding 42" tall opening paired with a low profile, flush to hearth design. Interior liner options include a choice of Mosaic Masonry kiln-fired firebrick liners in a split herringbone pattern and a variety of designer colors. The **WRT8000** is the perfect choice for a large classic masonry fireplace look and feel.





## Superior FIREPLACES\*


#### **Standard Features**

- Available in a 48" wide and 42" tall opening to provide an exceptional view of the fire
- Flush hearth floor design (hearth spacer required for combustible floor installations)
- Massive smoke dome with no visible smoke shelf for reliable operation
- Fully insulated firebox for increased performance in colder climates
- Mosaic Masonry Firebrick available in a split herringbone pattern and variety of colors (one required)
- Heavy duty steel grate with rugged forged andirons
- Easy access damper control
- Includes mesh fire screens
- Optional glass door available in black trim finish for improved safety
- Dual (left hand/right hand) outside air kits available for maximum performance
- Durable textured powder coat finish
- Uses IHP 12 DM (1700°) double wall air cooled wood burning chimney
- Uses IHP 12 HT (2100°) heavy gauge double wall air cooled wood burning chimney, recommended for cold climates (required for Canada)
- 30 Year Limited Warranty




#### **Dimensions**





	WRT8048		
F	48"		
G	60-5/8"		
Н	42-3/8"		
1	30"		
J	42"		
K	65-3/4"		
L	76-1/4"	* includes hearth spacer	

#### FLAT WALL FRAMING SPECIFICATIONS



VV N 1 8 U 4 8			
76-3/8" with hearth spacers	71-1/2" with no spacers		
60-7/8*			
31-5/8"			
	76-3/8" with hearth spacers 60-7/8"	76-3/8" with hearth spacers 71-1/2" with no spacers 60-7/8"	

# CORNER FRAMING SPECIFICATIONS Maintain 1 ½" Clearance at Sides and Back of Fireplace 1 ½" Clearance Not Required at Nailing Flanges

	WRT8048			
D	107-3/8"			
E	78-7/8"			





### **Mosaic Masonry Firebrick Liners**

Mosaic Masonry liners are constructed with true kiln-fired firebricks and mortared joints for a classic masonry fireplace appearance.









## **Mosaic Masonry Options**

#### Available in a full range of colors





#### **Marketing Literature & Webpage**



Wood-Burning Fireplace - Traditional - Front Open





WILLEDE TO BLIV

WHERE TO BUY

OVERVIEW

SPECIFICATIONS

OPTIONS

DOCUMENTS

The WRT8000 is a premium wood burning fireplace that features an astounding 42" tall opening paired with a low profile, flush to hearth design. Interior liner options include a choice of Mosaic Masonry kiln-fired firebrick liners in a split herringbone pattern and a variety of designer colors. For a large classic masonry fireplace look and feel the WRT8000 is the perfect choice.

#### STANDARD FEATURES

- . Available in a 48" wide and 42" tall opening to provide an exceptional view of the fire
- Flush hearth floor design (hearth spacer required for combustible floor installations)
- . Massive smoke dome with no visible smoke shelf for reliable operation
- · Fully insulated firebox for increased performance in colder climates
- Mosaic Masonry Firebrick available in a split herringbone pattern and variety of colors (one required)
- Heavy duty steel grate with rugged forged andirons
- Easy access damper control
- · Includes mesh fire screens
- · Optional glass door available in black trim finish for improved safety
- Dual (left hand/right hand) outside air kits available for maximum performance
- · Durable textured powder coat finish
- Uses IHP 12 DM (1700°) double wall air cooled wood burning chimney
- Uses IHP 12 HT (2100°) heavy gauge double wall air cooled wood burning chimney, recommended for cold climates (required for Canada)
- 20 Year Limited Warranty

